




Exploring Qubit Dynamics via Electron Paramagnetic Resonance Spectroscopy




Brittany Alvarado^{1,2}, Noah Frank^{1,2}, Kavipriya Thangavel¹,

¹National High Magnetic Field Laboratory, Tallahassee, FL 32310, USA; ²Department of Physics, Florida State University, Tallahassee, FL 32306, USA

Introduction to Qubits




Imagine a coin that's both HEADS and TAILS at the same time!
Welcome to the quantum world!




Electron Spin Qubit

Bloch Sphere



Such superposition enables electron spin qubits to exist in multiple states simultaneously, providing a powerful platform for storing and processing information beyond classical limits.

Experimental Technique – At the MagLab



HiPER capabilities

- ▶ High microwave power (~1 kW) [1,2].
- ▶ W-band (94 GHz) quasi-optical EPR.
- ▶ Supports both CW and pulsed EPR.
- ▶ Short pulses with broad excitation bandwidths [2].
- ▶ Temperature = 2 - 300 K.
- ▶ Samples - powder, liquid, crystals.


What do we study?

- ▶ Qubit lifetime (Spin-spin and Spin-lattice)
- ▶ Spin Hamiltonian parameters
- ▶ Relaxation mechanism

Bridging EPR towards quantum technology [4].

Acknowledgement


What is EPR?



Principle: EPR spectroscopy detects species with unpaired electrons by measuring their absorption of microwave radiation in a magnetic field.

Qubit Platforms in Quantum Technologies

Our literature review




Review of front-runner Qubits [4].

References

- [1] Paul A. S. Cruickshank et al., *Review of Scientific Instruments*, 2009, 80, 103102;
- [2] D. Marcinkowski et al., *Dalton Transactions*, 2022, 51, 12041;
- [3] K. Thangavel et al, *RSC Adv.*, 2024, 14, 4244-4251.
- [4] B. Alvarado, N. Frank, K. Thangavel, Manuscript under preparation – EPR towards industrial translation.

What Do We Study?


Metal Organic Frameworks



MOFs: Metal Organic Frameworks, a Nobel Prize (2025) recognized class of materials, are scalable, tunable, EPR accessible, and promising for qubit and qudit platforms. Scheme: MIL-53(Al/Cr) [3].

What Do We Measure?



Echo detected field sweep



Close Pore Phase (Water adsorption)

g	D (GHz)	E (GHz)	E/D	D_{strain} (GHz)	E_{strain} (GHz)
1.978(2)	7.20(1)	2.40(4)	0.33	0.9(2)	0.3(1)

HiPER studies on a high-spin Cr(III)-based MIL-53 metal - organic framework complex revealed temperature-dependent relaxation that follows a mixed Raman and direct process. Furthermore, guest-induced pore transformation could potentially enhance the qubit lifetime.



Conclusions and Outlook

- ▶ Superposition, one of the most fascinating properties of quantum mechanics, serves as a linchpin of our quantum research and forms a foundation for the qubit materials we study.
- ▶ The simple idea that an electron can exist in multiple states at once forms the foundation of a quantum bit — the essence of what makes quantum research so unique.
- ▶ HiPER studies on a high-spin Cr(III)-based MIL-53 metal-organic framework complex revealed temperature-dependent relaxation.
- ▶ In this project, we conducted a literature review on various qubit platforms in quantum technologies, focusing on how EPR-based experimental techniques are used to investigate and extend qubit lifetimes, particularly in academia-driven metal-organic framework (MOF) systems.



www.hillepr.com

Our User Facility :

For HiPER and HFEP experiments at the MagLab, please contact Prof. Stephen Hill or Dr. Kavipriya Thangavel.

Contact: shill@magnet.fsu.edu

kthangavel@magnet.fsu.edu